

Federal Communications Commission

Docket No. 97-75 Exhibit No. GBC 178

Presented by Coleman

WFO 3.1.1993

Disposition { Identified _____
Received WFO 6-1-1993
Rejected _____

Reporter C. Coleman

Date WFO 3.1.1993

space standpoint, it is even feasible to install the larger tower. Jim Planck is looking into this area. Until he has further answers, I don't know what our available courses of action are at this time.

Thanks,

A handwritten signature in black ink, appearing to be 'Ben Miller', with a stylized 'B' and a horizontal line extending to the right.

Ben Miller
Engineering

cc:

Kevin Fisher
George Horvath

GLENDALÉ BROADCASTING COMPANY

EXHIBIT NO. 179

MM DOCKET NO. 93-75

National Minority TV, Inc.
Engineering Department
Memo

Date: January 19, 1993

To: Mark Fountain, Jim Mc Clellan

From: Ben Miller

Subject: Dubner 6K Key ID System

By now, stations should have received their Dubner 6K Key ID unit for installation in their master control area. I have had complaints that only the rather limited operations manuals were sent out, and no copy of a maintenance manual. I have contacted Grass Valley Group and requested that they forward the service manuals as well as soon as possible.

As the TBN Network anticipates completion of the installation of the origination equipment, we anticipate initiation for the Key ID system within the next few weeks. Bob Fopma will be in contact with all stations regarding the graphics material which will be sent on disks from here as well as the procedures for use of the local insertion units.

At this point, I would like to provide information regarding installation of the units. First, the equipment should be installed as close to the operating position as possible in master control. This is because there will be occasional need for the operator to select various modes on the front panel. For instance, if your station does not wish to put up local prayer partner phone numbers, the manual "bypass" mode must be temporarily selected to keep them from being keyed in by the network. It should be emphasized that when this is done, that the mode be changed back to automatic prior to the station breaks to insure that the instructions for the station break are acted upon by the unit.

The unit should be installed following the output of your master control switcher as a downstream keyer. Also, the input signal to it should not have the vertical interval stripped off or reprocessed in any way because the unit relies on a line of the vertical interval from the network satellite signal.

One of the features of the unit is it's ability to trigger a contact closure for external devices such as audio cart machines. Standard operating procedure at this time is for

00721

Federal Communications Commission

Packet No 97-75 Exemption ABC 179

Presented by Cohen

Identified UAC 3-1993

Received UAC 6-1993

Reacted _____

Disposition

Reporter G. W. [Signature]

Date April 21, 1993

all stations to only do "voice-over" audio only station identifications during the network ID. The new units will be sent a closure to trigger your cart machines, so you should plan on dedicating a remote "start" command to one of your cart machines so that the network signal can activate the machine at the appropriate time.

Anyone who still has questions or is otherwise in need of assistance to properly install their unit please contact me. Also, it would be useful information to me to know what (if any) stations have received service manuals. Please drop me a quick note as to whether or not you have yet received your service manual.

Thanks,

Ben Miller
Technical Consultant

GLENDALÉ BROADCASTING COMPANY

EXHIBIT NO. 180

MM DOCKET NO. 93-75

**National Minority TV, Inc.
Engineering Department
Memo**

Date: February 10, 1993

To: Mark Fountain

From: Ben Miller

Subject: 7 GHz Antenna

Mark,

If you will properly crate up the 6 foot antenna you have in storage you can send it down to Planck and they will store it for us. I didn't know that you worked on airplanes there. Otherwise you wouldn't need a "prop" room. Oh, here I am *flying* off the handle again.

Thanks,

Ben Miller

00723

1

GLENDALÉ BROADCASTING COMPANY

EXHIBIT NO. 181

MM DOCKET NO. 93-75

**National Minority TV, Inc.
Engineering Department
Memo**

Date: February 24, 1993

To: Jane Duff

From: Ben Miller

Subject: Salt Lake Microwave License

Jane,

In reviewing my records for National Minority's K36CJ in Salt Lake, I do not seem to have a copy of the 23 GHz POFS microwave authorization WNTC-429. Please forward a copy of yours.

Thanks,

A handwritten signature in cursive script, appearing to read "Ben Miller".

Ben Miller

00728

Report of Commission on the Status of Women

Document No. 9375 Annex C. GPC-181

Submitted by Cohen

Document ID: 341552

Document ID: 61155

Document ID

Document ID

Author: G. Cohen

Date: 1993-03-03

GLENDALE BROADCASTING COMPANY

EXHIBIT NO. 182

MM DOCKET NO. 93-75

**National Minority TV, Inc.
Engineering Department
Memo**

Date: February 24, 1993

To: Jane Duff

From: Ben Miller

Subject: Salt Lake Microwave License

Jane,

In reviewing my records for National Minority's K36CJ in Salt Lake, I do not seem to have a copy of the 23 GHz POFS microwave authorization WNTC-429. Please forward a copy of yours.

Thanks,

Ben Miller

00724

GLENDAL E BROADCASTING COMPANY

EXHIBIT NO. 183

MM DOCKET NO. 93-75

11-05-199 03:52PM FROM OFFICE DEPOT 56

TO

17143704862 P.02

FAX 714 370 4862

SITE SURVEY INFORMATION SHEET

Location COLUMBIA, S.C. Channel 51Site Contact MIKE BLACKWELL Ph. 803 748-1200

Transmitter Building

~~Space~~ 10 Ft Space on 26th Floor of AT&T Building, Trinity is responsible for installing a wire cage door, 8 Ft wide to lock the space.

Transmitter Placement: In line with other broadcasters equipment behind locked cage door. *Transmitter Ventilation: No special attention needed, space is maintained at 72° year round. *Power Availability & Type: Provide 100 Ft. conduit run to power service. Each customer has separate meter and breaker box.Distance From Transmitter Building to Tower: 130 Ft. Run to roof. *Tower Specifications SEE REVERSE SIDE

Tower Type: _____ Face Size: _____

Leg Size: _____ Guy Spacing: _____

Tower Orientation:

N

W

E

S

TVRO System

Location and Distance from Building: 130 Foot cable run to roof. *Soil Type: N/AView of Satellite Arc Clear X Yes NoComments See reverse sideT.I. Survey Results: 20 dB C/I ratioOther Comments: See reverse side 54470

Federal Communications Commission

Docket No. 93-75 Exhibit No. CBC 183

Presented by Cohen

DEC 3: 993

Identified

Received

Disposition

Handled

Examiner

Date

W. W. W. W.

DEC 3: 993

GLENDALÉ BROADCASTING COMPANY

EXHIBIT NO. 184

MM DOCKET NO. 93-75

TRINITY BROADCASTING NETWORK, INC.

PURCHASE ORDER

No. 110980

This number must appear on all invoices, packing slips, packages and correspondence.

Bm. NATIONAL MINORITY TV, INC.
Educational Television of Houston

TRINITY BROADCASTING NETWORK, INC.
P.O. Box A, Santa Ana, CA 92711

(714)832-2950

☐ TRINITY BROADCASTING OF INDIANA, INC
1702 So. 9th St., Richmond, IN 47374

(317)935-2390

☐ TRINITY BROADCASTING OF ARIZONA, INC.
3551 E. McDowell Rd., Phoenix, AZ 85008

(602)273-1477

☐ TRINITY BROADCASTING OF NEW YORK, INC.
Rt. 9 and Merritt Rd., Fishkill, NY 12524

(914)896-4610

☐ TRINITY BROADCASTING OF FLORIDA, INC.
3324 Pembroke Rd., Pembroke Park, FL 33021

(305)624-1700

☐ TRINITY BROADCASTING OF WASHINGTON, INC.
2607 Bridgeport Way West, Suite 2K, Tacoma, WA 98466

(206)565-7770

☐ TRINITY BROADCASTING OF OKLAHOMA CITY INC.
3705 N.W. 63rd St., Oklahoma City, OK 73116

(405)848-1414

☐ TRINITY BROADCASTING OF DENVER, INC.
P O. Box 235 Westminster, CO 80030

Vendor:

AR Electronics
5526 E. LaPalma
Anaheim, CA 92807

779-0991 Larry Rich

Ship To:

- ☐ 14131 Chambers, Tustin, CA 92680
- ☐ 2442 Michelle Drive, Tustin, CA 92680
- ☒ 3551 E. McDowell Road, Phoenix, AZ 85008
- ☐ 3705 N W. 63rd Street, Oklahoma City, OK 73116
- ☐ 3324 Pembroke Road, Pembroke Park, FL 33021
- ☐ 1702 So. 9th Street, Richmond, IN 47374
- ☐ Rt. 9 and Merritt Road, Fishkill, NY 12524
- ☐ 2607 Bridgeport Way West, Suite 2K, Tacoma, WA 98466
- ☐ P O Box 235 Westminster, CO 80030

| | | | | | | |
|--|-----------------------------------|--|----------------------------|--------------------------------|-------------|------------------------------|
| Date 11-13-86 | Terms of Payment Net/30 | F O B | Ship Via Bestway | Taxable | Non-Taxable | Date Required ASAP |
| Quantity | Unit | Description | Unit Price | Extension | | |
| | | Equipment as per attached Quotation #Hester For: KHSU-TV Ch 14 KMLM OOESSA | | 1750.31- 1935.46 | | |
| Requisitioned By: Ben Miller | | Dept ENG | | Authorized By | | |

11-13-86 J. B. King.
11-14-86 PFC Reginald Crestmont
Also called in, white male, black,
CC shaving.

ORIGINATING DEPT

06444